



### 4300 Series Family

06/14/22

Glass Package	IG Thick	Interior Glass	Spacer	Exterior Glass	Gas Fill	Sound Control	No Grids			Flat or Sculpted Grids				
							U-Value	SHGC	VLT	Energy Star	U-Value	SHGC	VLT	Energy Star
<b>4300 / 4340 Single Hung Window</b>														
SSB Clear Glass	3/4"	3/32"	Duraseal	3/32"	Air	29	0.47	0.63	0.66		0.47	0.56	0.59	
SSB Glass with 7036 Low-E	3/4"	3/32"	Duraseal	3/32"	Air	29	0.33	0.31	0.56		0.33	0.28	0.50	
SSB Glass with 7036 Low-E and Argon	3/4"	3/32"	Duraseal	3/32"	Argon	29	0.30	0.31	0.56	NC	0.30	0.28	0.50	NC
SSB Glass with HP 5527 Low-E	3/4"	3/32"	Duraseal	3/32"	Air	29	0.33	0.23	0.44	S	0.33	0.20	0.39	S
SSB Glass with HP 5527 Low-E and Argon	3/4"	3/32"	Duraseal	3/32"	Argon	29	0.30	0.22	0.44	NC, SC, S	0.30	0.20	0.39	NC, SC, S
DSB Glass with 8071 Low-E	3/4"	1/8"	Duralite	1/8"	Air	29	0.33	0.53	0.63		0.33	0.47	0.56	
DSB Glass with 8071 Low-E and Argon	3/4"	1/8"	Duralite	1/8"	Argon	29	0.30	0.53	0.63	N	0.30	0.47	0.56	N
<b>4300 Fixed Picture Window</b>														
DSB Clear Glass	3/4"	1/8"	Duraseal	1/8"	Air	N/A	0.46	0.65	0.68		0.46	0.58	0.61	
DSB Glass with 7036 Low-E	3/4"	1/8"	Duraseal	1/8"	Air	N/A	0.31	0.32	0.58		0.31	0.29	0.52	
DSB Glass with 7036 Low-E and Argon	3/4"	1/8"	Duraseal	1/8"	Argon	N/A	0.28	0.32	0.58	N, NC	0.28	0.29	0.52	NC
DSB Glass with HP 5527 Low-E	3/4"	1/8"	Duraseal	1/8"	Air	N/A	0.31	0.24	0.46	S	0.31	0.22	0.41	S
DSB Glass with HP 5527 Low-E and Argon	3/4"	1/8"	Duraseal	1/8"	Argon	N/A	0.27	0.23	0.46	N, NC, SC, S	0.27	0.21	0.41	N, NC, SC, S
<b>1695 Basement Hopper</b>														
DSB Clear Glass	3/4"	1/8"	Duraseal	1/8"	Air	N/A	0.40	0.49	0.51		0.40	0.44	0.46	
DSB Glass with 7036 Low-E	3/4"	1/8"	Duraseal	1/8"	Air	N/A	0.28	0.25	0.44	NC, SC, S	0.28	0.22	0.39	NC, SC, S
DSB Glass with 7036 Low-E and Argon	3/4"	1/8"	Duraseal	1/8"	Argon	N/A	0.26	0.24	0.44	N, NC, SC, S	0.26	0.22	0.39	N, NC, SC, S
DSB Glass with HP 5527 Low-E	3/4"	1/8"	Duraseal	1/8"	Air	N/A	0.28	0.18	0.35	NC, SC, S	0.28	0.17	0.31	NC, SC, S
DSB Glass with HP 5527 Low-E and Argon	3/4"	1/8"	Duraseal	1/8"	Argon	N/A	0.25	0.18	0.35	N, NC, SC, S	0.25	0.16	0.31	N, NC, SC, S
<b>9770 Casement Window</b>														
DSB Clear Glass	3/4"	1/8"	Duralite	1/8"	Air	28	0.39	0.49	0.51		0.39	0.45	0.46	
DSB Glass with 7036 Low-E	3/4"	1/8"	Duralite	1/8"	Air	28	0.28	0.25	0.44	NC, SC, S	0.28	0.23	0.39	NC, SC, S
DSB Glass with 7036 Low-E and Argon	3/4"	1/8"	Duralite	1/8"	Argon	28	0.25	0.25	0.44	N, NC, SC, S	0.25	0.22	0.39	N, NC, SC, S
DSB Glass with HP 5527 Low-E	3/4"	1/8"	Duralite	1/8"	Air	28	0.28	0.18	0.35	NC, SC, S	0.28	0.17	0.31	NC, SC, S
DSB Glass with HP 5527 Low-E and Argon	3/4"	1/8"	Duralite	1/8"	Argon	28	0.25	0.18	0.35	N, NC, SC, S	0.25	0.16	0.31	N, NC, SC, S
<b>9660 Casement Awning Window</b>														
DSB Clear Glass	3/4"	1/8"	Duraseal	1/8"	Air	28	0.40	0.49	0.51		0.40	0.45	0.46	
DSB Glass with 7036 Low-E	3/4"	1/8"	Duraseal	1/8"	Air	28	0.28	0.25	0.44	NC, SC, S	0.28	0.23	0.39	NC, SC, S
DSB Glass with 7036 Low-E and Argon	3/4"	1/8"	Duraseal	1/8"	Argon	28	0.25	0.24	0.44	N, NC, SC, S	0.25	0.22	0.39	N, NC, SC, S
DSB Glass with HP 5527 Low-E	3/4"	1/8"	Duraseal	1/8"	Air	28	0.28	0.18	0.35	NC, SC, S	0.28	0.17	0.31	NC, SC, S
DSB Glass with HP 5527 Low-E and Argon	3/4"	1/8"	Duraseal	1/8"	Argon	28	0.25	0.18	0.35	N, NC, SC, S	0.25	0.16	0.31	N, NC, SC, S
<b>910 Sliding Glass Door</b>														
DSB Clear Glass	3/4"	1/8"	Duraseal	1/8"	Air	28	0.46	0.64	0.67		0.46	0.57	0.59	
DSB Glass with 7036 Low-E	3/4"	1/8"	Duraseal	1/8"	Air	28	0.32	0.32	0.57		0.32	0.28	0.50	
DSB Glass with 7036 Low-E and Argon	3/4"	1/8"	Duraseal	1/8"	Argon	28	0.28	0.32	0.57	N, NC	0.28	0.28	0.50	N, NC
DSB Glass with HP 5527 Low-E	3/4"	1/8"	Duraseal	1/8"	Air	28	0.32	0.23	0.45		0.32	0.21	0.40	
DSB Glass with HP 5527 Low-E and Argon	3/4"	1/8"	Duraseal	1/8"	Argon	28	0.28	0.23	0.45	N, NC, SC, S	0.28	0.21	0.40	N, NC, SC, S