



4300 Series

| Window Series | Grids | Glazing Type | STC | U-Value | SHGC | VLT | Energy Star Compliance | High Performance Low-E Option | | | HP Energy Star Compliance |
|------------------------|----------|--------------------------|-----|---------|------|------|------------------------|-------------------------------|------|------|---------------------------|
| | | | | | | | | U-Value | SHGC | VLT | |
| 4300 Single Hung | No Grids | Clear Insulated | 29 | 0.48 | 0.63 | 0.66 | | | | | |
| | | Low-E Insulated | 29 | 0.34 | 0.31 | 0.56 | | 0.34 | 0.23 | 0.43 | S |
| | | Low-E Insulated w/ argon | 29 | 0.30 | 0.31 | 0.56 | NC | 0.30 | 0.22 | 0.43 | NC, SC, S |
| | Grids | Clear Insulated | 29 | 0.48 | 0.57 | 0.59 | | | | | |
| | | Low-E Insulated | 29 | 0.34 | 0.28 | 0.50 | | 0.34 | 0.20 | 0.39 | S |
| | | Low-E Insulated w/ argon | 29 | 0.30 | 0.28 | 0.50 | NC | 0.30 | 0.20 | 0.39 | NC, SC, S |
| 4300 Picture Window | No Grids | Clear Insulated | | 0.47 | 0.65 | 0.68 | | | | | |
| | | Low-E Insulated | | 0.32 | 0.33 | 0.59 | | 0.31 | 0.24 | 0.45 | S |
| | | Low-E Insulated w/ argon | | 0.28 | 0.33 | 0.59 | N, NC | 0.28 | 0.23 | 0.45 | NC, SC, S |
| | Grids | Clear Insulated | | 0.47 | 0.58 | 0.61 | | | | | |
| | | Low-E Insulated | | 0.32 | 0.30 | 0.53 | | 0.31 | 0.22 | 0.40 | S |
| | | Low-E Insulated w/ argon | | 0.28 | 0.30 | 0.53 | NC | 0.28 | 0.21 | 0.40 | NC, SC, S |
| 4340 Single Hung | No Grids | Clear Insulated | 28 | 0.48 | 0.63 | 0.66 | | | | | |
| | | Low-E Insulated | 28 | 0.34 | 0.31 | 0.56 | | 0.34 | 0.23 | 0.43 | S |
| | | Low-E Insulated w/ argon | 28 | 0.30 | 0.31 | 0.56 | NC | 0.30 | 0.22 | 0.43 | NC, SC, S |
| | Grids | Clear Insulated | 28 | 0.48 | 0.57 | 0.59 | | | | | |
| | | Low-E Insulated | 28 | 0.34 | 0.28 | 0.50 | | 0.34 | 0.20 | 0.39 | S |
| | | Low-E Insulated w/ argon | 28 | 0.30 | 0.28 | 0.50 | NC | 0.30 | 0.20 | 0.39 | NC, SC, S |
| 4340 Picture Window | No Grids | Clear Insulated | | 0.47 | 0.65 | 0.68 | | | | | |
| | | Low-E Insulated | | 0.32 | 0.33 | 0.59 | | 0.31 | 0.24 | 0.45 | S |
| | | Low-E Insulated w/ argon | | 0.28 | 0.33 | 0.59 | N, NC | 0.28 | 0.23 | 0.45 | NC, SC, S |
| | Grids | Clear Insulated | | 0.47 | 0.58 | 0.61 | | | | | |
| | | Low-E Insulated | | 0.32 | 0.30 | 0.53 | | 0.31 | 0.22 | 0.40 | S |
| | | Low-E Insulated w/ argon | | 0.28 | 0.30 | 0.53 | NC | 0.28 | 0.21 | 0.40 | NC, SC, S |
| 9770 Casement | No Grids | Clear Insulated | 28 | 0.38 | 0.49 | 0.51 | | | | | |
| | | Low-E Insulated | 28 | 0.27 | 0.25 | 0.44 | N, NC, SC, S | 0.27 | 0.18 | 0.34 | N, NC, SC, S |
| | | Low-E Insulated w/ argon | 28 | 0.24 | 0.25 | 0.44 | N, NC, SC, S | 0.24 | 0.18 | 0.34 | N, NC, SC, S |
| | Grids | Clear Insulated | 28 | 0.38 | 0.44 | 0.46 | | | | | |
| | | Low-E Insulated | 28 | 0.27 | 0.23 | 0.40 | N, NC, SC, S | 0.27 | 0.16 | 0.31 | N, NC, SC, S |
| | | Low-E Insulated w/ argon | 28 | 0.24 | 0.22 | 0.40 | N, NC, SC, S | 0.24 | 0.16 | 0.31 | N, NC, SC, S |
| 9660 Awning | No Grids | Clear Insulated | | 0.39 | 0.49 | 0.51 | | | | | |
| | | Low-E Insulated | | 0.27 | 0.25 | 0.44 | N, NC, SC, S | 0.27 | 0.18 | 0.34 | N, NC, SC, S |
| | | Low-E Insulated w/ argon | | 0.24 | 0.25 | 0.44 | N, NC, SC, S | 0.24 | 0.18 | 0.34 | N, NC, SC, S |
| | Grids | Clear Insulated | | 0.39 | 0.44 | 0.46 | | | | | |
| | | Low-E Insulated | | 0.27 | 0.23 | 0.40 | N, NC, SC, S | 0.27 | 0.16 | 0.31 | N, NC, SC, S |
| | | Low-E Insulated w/ argon | | 0.24 | 0.22 | 0.40 | N, NC, SC, S | 0.24 | 0.16 | 0.31 | N, NC, SC, S |
| 1695 Basement | No Grids | Clear Insulated | | 0.40 | 0.49 | 0.51 | | | | | |
| | | Low-E Insulated | | 0.28 | 0.25 | 0.44 | NC, SC, S | 0.28 | 0.18 | 0.34 | NC, SC, S |
| | | Low-E Insulated w/ argon | | 0.25 | 0.25 | 0.44 | N, NC, SC, S | 0.25 | 0.18 | 0.34 | N, NC, SC, S |
| | Grids | Clear Insulated | | 0.40 | 0.44 | 0.46 | | | | | |
| | | Low-E Insulated | | 0.28 | 0.23 | 0.40 | NC, SC, S | 0.28 | 0.16 | 0.31 | NC, SC, S |
| | | Low-E Insulated w/ argon | | 0.25 | 0.22 | 0.40 | N, NC, SC, S | 0.25 | 0.16 | 0.31 | N, NC, SC, S |
| 910 Sliding Glass Door | No Grids | Clear Insulated | | 0.46 | 0.64 | 0.67 | | | | | |
| | | Low-E Insulated | | 0.32 | 0.32 | 0.58 | | 0.31 | 0.23 | 0.45 | S |
| | | Low-E Insulated w/ argon | | 0.28 | 0.32 | 0.58 | N, NC | 0.28 | 0.23 | 0.45 | NC, SC, S |
| | Grids | Clear Insulated | | 0.46 | 0.57 | 0.59 | | | | | |
| | | Low-E Insulated | | 0.32 | 0.29 | 0.51 | | 0.31 | 0.21 | 0.39 | S |
| | | Low-E Insulated w/ argon | | 0.28 | 0.28 | 0.51 | NC | 0.28 | 0.20 | 0.39 | NC, SC, S |