



# Professional Series

Window Series	Grids	Glazing Type	STC	U-Value	SHGC	VLT	Energy Star Compliance	High Performance Low-E Option			HP Energy Star Compliance
								U-Value	SHGC	VLT	
1255 Single Hung	No Grids	Clear Insulated	28	0.46	0.64	0.66					
		Low-E Insulated	28					0.32	0.23	0.44	S
		Low-E Insulated w/ argon	28	0.28	0.31	0.57	NC	0.28	0.22	0.44	NC,SC,S
	Grids	Clear Insulated	28	0.46	0.57	0.59					
		Low-E Insulated	28					0.32	0.21	0.39	S
		Low-E Insulated w/ argon	28	0.28	0.28	0.51	NC	0.28	0.20	0.39	NC,SC,S
1255 Picture Window	No Grids	Clear Insulated		0.46	0.67	0.70					
		Low-E Insulated		0.30	0.34	0.61	NC	0.30	0.24	0.47	NC,SC,S
		Low-E Insulated w/ argon		0.26	0.34	0.61	N, NC	0.26	0.24	0.47	N,NC,SC,S
	Grids	Clear Insulated		0.46	0.60	0.63					
		Low-E Insulated		0.30	0.31	0.54	NC	0.30	0.22	0.42	NC,SC,S
		Low-E Insulated w/ argon		0.26	0.30	0.54	N, NC	0.26	0.22	0.42	N,NC,SC,S
1280 Single Slider	No Grids	Clear Insulated		0.47	0.65	0.68					
		Low-E Insulated						0.32	0.23	0.45	S
		Low-E Insulated w/ argon		0.28	0.32	0.58	N, NC	0.28	0.23	0.45	NC,SC,S
	Grids	Clear Insulated		0.47	0.58	0.61					
		Low-E Insulated						0.32	0.21	0.40	S
		Low-E Insulated w/ argon		0.28	0.29	0.52	NC	0.28	0.21	0.40	NC,SC,S
1355 Single Hung	No Grids	Clear Insulated	29	0.47	0.63	0.66					
		Low-E Insulated	29	0.32	0.31	0.56		0.32	0.23	0.43	S
		Low-E Insulated w/ argon	29	0.29	0.31	0.56	NC	0.29	0.22	0.43	NC,SC,S
	Grids	Clear Insulated	29	0.47	0.57	0.59					
		Low-E Insulated	29	0.32	0.28	0.50		0.32	0.20	0.39	S
		Low-E Insulated w/ argon	29	0.29	0.28	0.50	NC	0.29	0.20	0.39	NC,SC,S
1355 Picture Window	No Grids	Clear Insulated		0.46	0.65	0.68					
		Low-E Insulated		0.31	0.33	0.59		0.31	0.24	0.45	S
		Low-E Insulated w/ argon		0.27	0.33	0.59	N, NC	0.27	0.23	0.45	N,NC,SC,S
	Grids	Clear Insulated		0.46	0.58	0.61					
		Low-E Insulated		0.31	0.30	0.53		0.31	0.22	0.40	S
		Low-E Insulated w/ argon		0.27	0.30	0.53	N, NC	0.27	0.21	0.40	N,NC,SC,S