



Aluminum Products

05/14/21

Glass Package	IG Thick	Interior Glass	Spacer	Exterior Glass	Gas Fill	STC	Sound Control	No Grids			Flat or Sculpted Grids		
							U-Value	SHGC	VLT	U-Value	SHGC	VLT	
<b>185 Single Hung</b>													
DSB Clear Glass	5/8	1/8	Duraseal	1/8	Air	28	0.68	0.64	0.67	0.69	0.58	0.60	
DSB Glass with 7036 Low-E	5/8	1/8	Duraseal	1/8	Air	28	0.54	0.33	0.57	0.56	0.30	0.51	
DSB Glass with 7036 Low-E and Argon	5/8	1/8	Duraseal	1/8	Argon	28	0.50	0.33	0.57	0.51	0.30	0.51	
DSB Glass with HP 5527 Low-E	5/8	1/8	Duraseal	1/8	Air	28	0.54	0.25	0.45	0.56	0.22	0.40	
DSB Glass with HP 5527 Low-E and Argon	5/8	1/8	Duraseal	1/8	Argon	28	0.50	0.24	0.45	0.51	0.22	0.40	
DSB Impact Glass with 366 Low-E and Argon	5/8	3/32 090PVB 3/32	SSBox	1/8	Argon	n/a	0.58	0.24	0.52	0.62	0.22	0.46	
<b>185 Picture Window</b>													
DSB Clear Glass	5/8	1/8	Duraseal	1/8	Air	27	0.60	0.71	0.74	0.61	0.64	0.66	
DSB Glass with 7036 Low-E	5/8	1/8	Duraseal	1/8	Air	27	0.45	0.36	0.63	0.47	0.32	0.57	
DSB Glass with 7036 Low-E and Argon	5/8	1/8	Duraseal	1/8	Argon	27	0.40	0.35	0.63	0.42	0.32	0.57	
DSB Glass with HP 5527 Low-E	5/8	1/8	Duraseal	1/8	Air	27	0.45	0.26	0.50	0.47	0.24	0.45	
DSB Glass with HP 5527 Low-E and Argon	5/8	1/8	Duraseal	1/8	Argon	27	0.40	0.26	0.50	0.41	0.24	0.45	
DSB Impact Glass with 366 Low-E and Argon	13/16	3/32 090PVB 3/32	SSBox	1/8	Argon	n/a	0.38	0.25	0.57	0.40	0.23	0.52	
<b>188 Single Slider</b>													
DSB Clear Glass	5/8	1/8	Duraseal	1/8	Air	28	0.70	0.64	0.67	0.70	0.58	0.60	
DSB Glass with 7036 Low-E	5/8	1/8	Duraseal	1/8	Air	28	0.56	0.33	0.57	0.58	0.30	0.51	
DSB Glass with 7036 Low-E and Argon	5/8	1/8	Duraseal	1/8	Argon	28	0.51	0.33	0.57	0.53	0.30	0.51	
DSB Glass with HP 5527 Low-E	5/8	1/8	Duraseal	1/8	Air	28	0.56	0.25	0.45	0.57	0.22	0.40	
DSB Glass with HP 5527 Low-E and Argon	5/8	1/8	Duraseal	1/8	Argon	28	0.51	0.24	0.45	0.53	0.22	0.40	
DSB Impact Glass with 366 Low-E and Argon	5/8	3/32 090PVB 3/32	SSBox	1/8	Argon	n/a	0.60	0.24	0.52	0.64	0.22	0.46	
<b>420 Sliding Glass Door</b>													
DSB Clear Glass	5/8	1/8	Duraseal	1/8	Air	26	0.68	0.68	0.70	0.70	0.60	0.62	
DSB Glass with 7036 Low-E	5/8	1/8	Duraseal	1/8	Air	26	0.55	0.34	0.60	0.57	0.30	0.53	
5/32 Glass with 7036 Low-E	5/8	1/8	Duraseal	5/32	Air	n/a	0.57	0.34	0.59	0.60	0.30	0.52	
DSB Glass with HP 5527 Low-E	5/8	1/8	Duraseal	1/8	Air	26	0.54	0.25	0.47	0.57	0.23	0.42	
5/32 Glass with HP 5527 Low-E	5/8	1/8	Duraseal	5/32	Air	n/a	0.57	0.25	0.47	0.60	0.23	0.41	
<b>120 Sliding Glass Door</b>													
DSB Clear Glass	1 1/16	1/8	Duraseal	1/8	Air	n/a	0.80	0.57	0.58	0.80	0.50	0.50	
DSB Glass with HP 5527 Low-E	1 1/16	1/8	Duraseal	1/8	Air	n/a	0.68	0.22	0.39	0.68	0.19	0.34	
DSB Glass with HP 5527 Low-E and Argon	1 1/16	1/8	Duraseal	1/8	Argon	n/a	0.65	0.21	0.39	0.65	0.19	0.34	
3/16 Impact Glass with 340 Low-E and Argon	1 1/16	3/16 100SAFLEX 3/16	SSBox	3/16	Argon	n/a	0.65	0.15	0.26	0.67	0.13	0.23	
3/16 Impact Glass with 366 Low-E and Argon	1 1/16	3/16 100SAFLEX 3/16	SSBox	3/16	Argon	n/a	0.65	0.21	0.44	0.66	0.19	0.38	