



1500 Series

5/21/21

Glass Package	IG Thick	Interior Glass	Spacer	Exterior Glass	Gas Fill	Sound Control	No Grids			Energy Star	Flat or Sculpted Grids			Energy Star
							U-Value	SHGC	VLT		U-Value	SHGC	VLT	
1555 Double Hung Window														
DSB Glass with 7036 Low-E and Argon (Thermal Sash)	3/4"	1/8"	Duralite	1/8"	Argon	30	0.27	0.29	0.51	N, NC	0.27	0.26	0.46	N, NC
SSB Glass with 7036 Low-E and Argon	3/4"	3/32"	Duralite	3/32"	Argon	28	0.28	0.29	0.52	NC	0.28	0.26	0.46	NC
DSB Glass with 5527 Low-E "HP" and Argon	3/4"	1/8"	Duralite	1/8"	Argon	30	0.28	0.21	0.41	NC, SC, S	0.28	0.19	0.36	NC, SC, S
1556 Double Hung Window														
SSB Glass	3/4"	3/32"	Duralite	3/32"	Air	28	0.44	0.59	0.61		0.44	0.52	0.54	
DSB Glass with 7036 Low-E	3/4"	1/8"	Duralite	1/8"	Air	30	0.31	0.29	0.51		0.31	0.26	0.46	
SSB Glass with 7036 Low-E	3/4"	3/32"	Duralite	3/32"	Air	28	0.31	0.29	0.52		0.31	0.26	0.46	
DSB Glass with 7036 Low-E and Argon (Thermal Sash)	3/4"	1/8"	Duralite	1/8"	Argon	30	0.27	0.29	0.51	N, NC	0.27	0.26	0.46	N, NC
SSB Glass with 7036 Low-E and Argon	3/4"	3/32"	Duralite	3/32"	Argon	28	0.28	0.29	0.52	NC	0.28	0.26	0.46	NC
DSB Glass with 5527 Low-E "HP"	3/4"	1/8"	Duralite	1/8"	Air	30	0.31	0.21	0.41	S	0.31	0.19	0.36	S
DSB Glass with 5527 Low-E "HP" and Argon (Thermal Sash)	3/4"	1/8"	Duralite	1/8"	Argon	30	0.27	0.21	0.41	N, NC, SC, S	0.27	0.19	0.36	N, NC, SC, S
1555 Picture Window														
DSB Glass with 7036 Low-E and Argon	3/4"	1/8"	Duralite	1/8"	Argon	28	0.27	0.31	0.55	N, NC	0.27	0.28	0.49	N, NC
DSB Glass with 5527 Low-E "HP" and Argon	3/4"	1/8"	Duralite	1/8"	Argon	28	0.27	0.22	0.44	N, NC, SC, S	0.27	0.20	0.39	N, NC, SC, S
1556 Picture Window														
DSB Glass	3/4"	1/8"	Duralite	1/8"	Air	28	0.45	0.62	0.65		0.45	0.55	0.58	
DSB Glass with 7036 Low-E	3/4"	1/8"	Duralite	1/8"	Air	28	0.30	0.31	0.55	NC	0.30	0.28	0.49	NC
DSB Glass with 7036 Low-E and Argon	3/4"	1/8"	Duralite	1/8"	Argon	28	0.27	0.31	0.55	N, NC	0.27	0.28	0.49	N, NC
DSB Glass with 5527 Low-E "HP"	3/4"	1/8"	Duralite	1/8"	Air	28	0.30	0.23	0.44	NC, SC, S	0.30	0.21	0.39	NC, SC, S
DSB Glass with 5527 Low-E "HP" and Argon	3/4"	1/8"	Duralite	1/8"	Argon	28	0.27	0.22	0.44	N, NC, SC, S	0.27	0.20	0.39	N, NC, SC, S