



# 1600 Series

Window Series	Grids	Glazing Type	STC	U-Value	SHGC	VLT	Energy Star Compliance	High Performance Low-E Option			HP Energy Star Compliance
								U-Value	SHGC	VLT	
1650 Double-Hung	No Grids	Low-E Insulated w/ argon		0.27	0.29	0.52	N, NC	0.27	0.21	0.40	N, NC, SC, S
	Grids	Low-E Insulated w/ argon		0.27	0.26	0.46	N, NC	0.27	0.19	0.35	N, NC, SC, S
	No Grids	Low-E Insulated w/ argon and foam		0.26	0.29	0.52	N, NC	0.26	0.21	0.40	N, NC, SC, S
	Grids	Low-E Insulated w/ argon and foam		0.26	0.26	0.46	N, NC	0.26	0.19	0.35	N, NC, SC, S
	No Grids	Triple pane; low-E insulated w/ argon		0.22	0.25	0.41	N, NC, SC, S				
	Grids	Triple pane; low-E insulated w/ argon		0.22	0.23	0.37	N, NC, SC, S				
1650 Extreme Double-Hung	No Grids	Low-E Insulated w/ argon		0.21	0.25	0.41	N, NC, SC, S				
	Grids	Low-E Insulated w/ argon		0.22	0.23	0.37	N, NC, SC, S				
1610 Sliding Glass Door	No Grids	Low-E Insulated w/ argon		0.28	0.30	0.55	N, NC	0.28	0.22	0.42	N, NC, SC, S
	Grids	Low-E Insulated w/ argon		0.28	0.27	0.48	N, NC	0.28	0.19	0.37	N, NC, SC, S
1650 Picture Window	No Grids	Low-E Insulated w/ argon		0.27	0.31	0.56	N, NC	0.27	0.22	0.43	N, NC, SC, S
	Grids	Low-E Insulated w/ argon		0.27	0.28	0.50	N, NC	0.27	0.20	0.38	N, NC, SC, S
1665 Awning	No Grids	Low-E Insulated w/ argon		0.24	0.25	0.44	N, NC, SC, S	0.24	0.18	0.34	N, NC, SC, S
	Grids	Low-E Insulated w/ argon		0.24	0.22	0.40	N, NC, SC, S	0.24	0.16	0.31	N, NC, SC, S
1675 Casement	No Grids	Low-E Insulated w/ argon		0.24	0.25	0.44	N, NC, SC, S	0.24	0.18	0.34	N, NC, SC, S
	Grids	Low-E Insulated w/ argon		0.24	0.22	0.40	N, NC, SC, S	0.24	0.16	0.31	N, NC, SC, S
1685 Double-Sliding	No Grids	Low-E Insulated w/ argon	29	0.27	0.29	0.52	N, NC	0.27	0.20	0.40	N, NC, SC, S
	Grids	Low-E Insulated w/ argon	29	0.27	0.26	0.46	N, NC	0.27	0.19	0.36	N, NC, SC, S
1695 Basement	No Grids	Low-E Insulated w/ argon		0.25	0.25	0.44	N, NC, SC, S	0.25	0.18	0.34	N, NC, SC, S
	Grids	Low-E Insulated w/ argon		0.25	0.22	0.40	N, NC, SC, S	0.25	0.16	0.31	N, NC, SC, S