

	GLASS PACKAGE	IG THICKNESS	INTERIOR GLASS	SPACER	CENTER GLASS	SPACER	EXTERIOR GLASS	STC	NO GRIDS				FLAT OR SCULPTED GRIDS			
									U-VALUE	SHGC	VLT	ENERGY STAR 7.0	U-VALUE	SHGC	VLT	ENERGY STAR 7.0
3500 SINGLE-HUNG	SSB, Clear	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB Clear	28	0.47	0.64	0.66		0.47	0.57	0.59	
	SSB, LOE CG70	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG70	28	0.33	0.28	0.55		0.33	0.26	0.49	
	SSB, LOE CG70, Argon	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG70	28	0.29	0.28	0.55		0.29	0.26	0.49	
	SSB, LOE CG55	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG55	28	0.33	0.21	0.44		0.33	0.19	0.40	
	SSB, LOE CG55, Argon	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG55	28	0.29	0.21	0.44	S	0.29	0.19	0.40	S
	DSB, Clear	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB Clear	28	0.47	0.62	0.66		0.47	0.56	0.59	
	DSB, LOE CG70	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	28	0.33	0.28	0.55		0.33	0.26	0.49	
	DSB, LOE CG70 Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	28	0.29	0.28	0.55		0.29	0.25	0.49	
	DSB, LOE CG55	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	28	0.33	0.21	0.44		0.33	0.19	0.39	
	DSB, LOE CG55 Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	28	0.29	0.21	0.44	S	0.29	0.19	0.39	S
3540 SINGLE-HUNG	Triple Pane, SSB, LOE CG70, Argon	15/16"	SSB CG70	Duralite (P2-S)	SSB Clear	Duralite (P2-S)	SSB CG70	28	0.22	0.24	0.42	N, NC	0.22	0.21	0.38	N, NC, SC, S
	Triple Pane, SSB, LOE CG70, Argon	15/16"	DSB CG70	Duralite (P2-S)	DSB Clear	Duralite (P2-S)	SSB CG70	29	0.23	0.24	0.42	NC	0.24	0.21	0.38	NC, SC, S
	SSB, Clear	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB Clear	27	0.47	0.64	0.66		0.47	0.57	0.59	
	SSB, LOE CG70	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG70	27	0.33	0.28	0.55		0.33	0.26	0.49	
	SSB, LOE CG70, Argon	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG70	27	0.30	0.28	0.55		0.30	0.26	0.49	
	SSB, LOE CG55	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG55	27	0.33	0.21	0.44		0.33	0.19	0.40	
	SSB, LOE CG55, Argon	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG55	27	0.30	0.21	0.44	S	0.30	0.19	0.40	S
	DSB, Clear	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB Clear	27	0.47	0.62	0.66		0.47	0.56	0.59	
	DSB, LOE CG70	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	27	0.33	0.28	0.55		0.33	0.26	0.49	
	DSB, LOE CG70 Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	27	0.29	0.28	0.55		0.29	0.25	0.49	
3500 HP SINGLE-HUNG	DSB, LOE CG55	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	27	0.33	0.21	0.44		0.33	0.19	0.39	
	DSB, LOE CG55 Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	27	0.29	0.21	0.44	S	0.29	0.19	0.39	S
	Triple Pane, SSB, LOE CG70, Argon	15/16"	SSB CG70	Duralite (P2-S)	SSB Clear	Duralite (P2-S)	SSB CG70	N/A	0.22	0.24	0.42	N, NC	0.22	0.21	0.38	N, NC, SC, S
	Triple Pane, SSB, LOE CG70, Argon	15/16"	DSB CG70	Duralite (P2-S)	DSB Clear	Duralite (P2-S)	SSB CG70	N/A	0.23	0.24	0.42	NC	0.24	0.21	0.38	NC, SC, S
	DSB, Clear	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB Clear	28	0.48	0.62	0.66		0.48	0.56	0.59	
	DSB, LOE CG70	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	28	0.33	0.29	0.55		0.33	0.26	0.49	
	DSB, LOE CG70 Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	28	0.30	0.28	0.55		0.30	0.26	0.49	
	DSB, LOE CG55	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	28	0.34	0.21	0.44		0.34	0.19	0.39	
	DSB, LOE CG55 Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	28	0.30	0.21	0.44	S	0.30	0.19	0.39	S

								UPDATED 05/14/25	SOUND CONTROL	NO GRIDS				FLAT OR SCULPTED GRIDS			
	GLASS PACKAGE	IG THICKNESS	INTERIOR GLASS	SPACER	CENTER GLASS	SPACER	EXTERIOR GLASS	STC	U-VALUE	SHGC	VLT	ENERGY STAR 7.0	U-VALUE	SHGC	VLT	ENERGY STAR 7.0	
3500/3540/3500 HP FIXED	DSB, Clear	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB Clear	27	0.47	0.67	0.70		0.47	0.60	0.63		
	DSB, LOE CG70	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	27	0.31	0.31	0.59		0.31	0.28	0.53		
	DSB, LOE CG70 Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	27	0.27	0.30	0.59		0.27	0.27	0.53		
	DSB, LOE CG55	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	27	0.31	0.23	0.47	S	0.31	0.21	0.42	S	
	DSB, LOE CG55 Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	27	0.27	0.22	0.47	SC, S	0.27	0.20	0.42	NC, S	
	Triple Pane, DSB, LOE CG70, Argon	15/16"	DSB CG70	Duralite (P2-S)	DSB Clear	Duralite (P2-S)	DSB CG70	29	0.21	0.25	0.45	N, NC	0.22	0.23	0.40	N, NC, SC, S	
3580 SINGLE-SLIDER	SSB, Clear	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB Clear	27	0.48	0.65	0.68		0.48	0.58	0.61		
	SSB, LOE CG70	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG70	27	0.33	0.29	0.56		0.33	0.26	0.50		
	SSB, LOE CG70, Argon	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG70	27	0.29	0.29	0.56		0.29	0.26	0.50		
	SSB, LOE CG55	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG55	27	0.33	0.22	0.45		0.33	0.20	0.41		
	SSB, LOE CG55, Argon	3/4"	SSB Clear	Duraseal	N/A	N/A	SSB CG55	27	0.29	0.21	0.45	S	0.29	0.19	0.41	S	
	Triple Pane, SSB, LOE CG70, Argon	15/16"	SSB CG70	Duralite (P2-S)	SSB Clear	Duralite (P2-S)	SSB CG70	N/A	0.21	0.24	0.43	N, NC	0.22	0.22	0.39	N, NC, SC, S	
9770 CASEMENT	Triple Pane, DSB, LOE CG70, Argon	15/16"	DSB CG70	Duralite (P2-S)	DSB Clear	Duralite (P2-S)	DSB CG70	N/A	0.23	0.24	0.43	NC	0.24	0.22	0.38	NC, SC, S	
	DSB, Clear	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB Clear	28	0.40	0.49	0.51		0.40	0.45	0.46		
	DSB, LOE CG70	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB CG70	28	0.28	0.23	0.43	SC, S	0.28	0.21	0.39	SC, S	
	DSB, LOE CG70 Argon	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB CG70	28	0.25	0.22	0.43	NC, SC, S	0.25	0.20	0.39	NC, SC, S	
	DSB, LOE CG55	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB CG55	28	0.28	0.17	0.35	SC, S	0.28	0.16	0.31	SC, S	
	DSB, LOE CG55 Argon	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB CG55	28	0.25	0.17	0.35	NC, SC, S	0.25	0.15	0.31	NC, SC, S	
9660 AWNING	Triple Pane, DSB, LOE CG70, Argon	1-3/8"	DSB CG70	Duralite (P2-S)	DSB Clear	Duralite (P2-S)	DSB CG70	29	0.19	0.19	0.33	N, NC, SC, S	0.19	0.17	0.30	N, NC, SC, S	
	DSB, Clear	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB Clear	28	0.40	0.49	0.51		0.40	0.45	0.46		
	DSB, LOE CG70	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB CG70	28	0.28	0.23	0.43	SC, S	0.28	0.21	0.39	SC, S	
	DSB, LOE CG70, Argon	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB CG70	28	0.25	0.22	0.43	NC, SC, S	0.25	0.20	0.39	NC, SC, S	
	DSB, LOE CG55	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB CG55	28	0.28	0.17	0.35	SC, S	0.28	0.16	0.31	SC, S	
	DSB, LOE CG55, Argon	3/4"	DSB Clear	Duralite (P2-S)	N/A	N/A	DSB CG55	28	0.25	0.17	0.35	NC, SC, S	0.25	0.15	0.31	NC, SC, S	
	Triple Pane, DSB, LOE CG70, Argon	1-3/8"	DSB CG70	Duralite (P2-S)	DSB Clear	Duralite (P2-S)	DSB CG70	29	0.18	0.19	0.33	N, NC, SC, S	0.19	0.17	0.30	N, NC, SC, S	
	DSB, Clear	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB Clear	28	0.46	0.64	0.67		0.46	0.57	0.59		
	DSB, LOE CG70	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	28	0.31	0.29	0.56		0.31	0.26	0.49		
	DSB, LOE CG70 Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG70	28	0.28	0.29	0.56		0.28	0.26	0.49		
	DSB, LOE CG55	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	28	0.32	0.23	0.45	S	0.32	0.21	0.40	S	
	DSB, LOE CG55, Argon	3/4"	DSB Clear	Duraseal	N/A	N/A	DSB CG55	28	0.28	0.23	0.45	SC, S	0.28	0.21	0.40	SC, S	
	DSB, LOE CG70-IS20, Argon	3/4"	DSB IS20	Duraseal	N/A	N/A	DSB CG70	28	0.24	0.28	0.55	N, NC	0.24	0.25	0.48	N, NC	
3/16, LOE CG70-IS20, Argon	3/4"	3/16 IS20	Duraseal	N/A	N/A	3/16 CG70	29	0.25	0.28	0.54	N, NC	0.27	0.25	0.47			