


SIZE GUIDE



Mi

2 LITE SLIDING WINDOW SIZES




3580 WELDED VINYL SINGLE SLIDING WINDOW


SIZES

3580 WELDED VINYL SINGLE SLIDING WINDOW

3 LITE SLIDING WINDOW SIZES XOX




PICTURE WINDOW SIZES





3580 WELDED VINYL SINGLE SLIDING WINDOW

EXTENDED HALF ROUND WINDOW SIZES




TRANSOM WINDOW SIZES




EXTENDED ARCH TOP WINDOW SIZES

RENAISSANCE GRILLE PATTERN




COLONIAL GRILLE PATTERN






6-0
71 1/
72

VERTICAL DETAIL



HORIZONTAL DETAIL



MULLION AVAILABLE

V-023 C-Mullion



1/8" Add-On

Series 3580

Sliding Window Opening Specifications

Code Size	Window ID		Sash Sliding Window Clear Opening			Visible Light Sq. Ft.	Screen Overall Finish Size		Glass Size Fixed		Glass Size Moving	
	Width	Height	Width	Height	Sq. Ft.		Width	Height	Width	Height	Width	Height
2020	23 1/2	x 23 1/2	8 1/16	x 19 1/2	1.09	2.41	9 15/16	x 20 3/4	9 7/8	x 20 9/16	9 7/8	x 19 3/4
2030	23 1/2	x 35 1/2	8 1/16	x 31 1/2	1.76	3.89	9 15/16	x 32 3/4	9 7/8	x 32 9/16	9 7/8	x 31 3/4
3020	35 3/4	x 23 1/2	14 3/16	x 19 1/2	1.92	4.08	16 1/16	x 20 3/4	16	x 20 9/16	16	x 19 3/4
3030	35 3/4	x 35 1/2	14 3/16	x 31 1/2	3.10	6.58	16 1/16	x 32 3/4	16	x 32 9/16	16	x 31 3/4
3034	35 3/4	x 39 1/2	14 3/16	x 35 1/2	3.50	7.41	16 1/16	x 36 3/4	16	x 36 9/16	16	x 35 3/4
3040	35 3/4	x 47 1/2	14 3/16	x 43 1/2	4.29	9.08	16 1/16	x 44 3/4	16	x 44 9/16	16	x 43 3/4
3050	35 3/4	x 59 3/4	14 3/16	x 55 3/4	5.49	11.63	16 1/16	x 57	16	x 56 13/16	16	x 56
4020	47 1/2	x 23 1/2	20 1/16	x 19 1/2	2.72	5.67	21 15/16	x 20 3/4	21 7/8	x 20 9/16	21 7/8	x 19 3/4
4030	47 1/2	x 35 1/2	20 1/16	x 31 1/2	4.39	9.15	21 15/16	x 32 3/4	21 7/8	x 32 9/16	21 7/8	x 31 3/4
4034	47 1/2	x 39 1/2	20 1/16	x 35 1/2	4.95	10.31	21 15/16	x 36 3/4	21 7/8	x 36 9/16	21 7/8	x 35 3/4
4040	47 1/2	x 47 1/2	20 1/16	x 43 1/2	6.06	12.63	21 15/16	x 44 3/4	21 7/8	x 44 9/16	21 7/8	x 43 3/4
4050	47 1/2	x 59 3/4	20 1/16	x 55 3/4	7.77	16.18	21 15/16	x 57	21 7/8	x 56 13/16	21 7/8	x 56
4060	47 1/2	x 71 1/2	20 1/16	x 67 1/2	9.40	19.59	21 15/16	x 68 3/4	21 7/8	x 68 9/16	21 7/8	x 67 3/4
5020	59 1/2	x 23 1/2	26 1/16	x 19 1/2	3.53	7.30	27 15/16	x 20 3/4	27 7/8	x 20 9/16	27 7/8	x 19 3/4
5030	59 1/2	x 35 1/2	26 1/16	x 31 1/2	5.70	11.78	27 15/16	x 32 3/4	27 7/8	x 32 9/16	27 7/8	x 31 3/4
5034	59 1/2	x 39 1/2	26 1/16	x 35 1/2	6.43	13.27	27 15/16	x 36 3/4	27 7/8	x 36 9/16	27 7/8	x 35 3/4
5040	59 1/2	x 47 1/2	26 1/16	x 43 1/2	7.87	16.26	27 15/16	x 44 3/4	27 7/8	x 44 9/16	27 7/8	x 43 3/4
5050	59 1/2	x 59 3/4	26 1/16	x 55 3/4	10.09	20.83	27 15/16	x 57	27 7/8	x 56 13/16	27 7/8	x 56
5060	59 1/2	x 71 1/2	26 1/16	x 67 1/2	12.22	25.22	27 15/16	x 68 3/4	27 7/8	x 68 9/16	27 7/8	x 67 3/4
6020	71 1/2	x 23 1/2	32 1/16	x 19 1/2	4.34	8.93	33 15/16	x 20 3/4	33 7/8	x 20 9/16	33 7/8	x 19 3/4
6030	71 1/2	x 35 1/2	32 1/16	x 31 1/2	7.01	14.41	33 15/16	x 32 3/4	33 7/8	x 32 9/16	33 7/8	x 31 3/4
6034	71 1/2	x 39 1/2	32 1/16	x 35 1/2	7.90	16.24	33 15/16	x 36 3/4	33 7/8	x 36 9/16	33 7/8	x 35 3/4
6040	71 1/2	x 47 1/2	32 1/16	x 43 1/2	9.69	19.89	33 15/16	x 44 3/4	33 7/8	x 44 9/16	33 7/8	x 43 3/4
6050	71 1/2	x 59 3/4	32 1/16	x 55 3/4	12.41	25.48	33 15/16	x 57	33 7/8	x 56 13/16	33 7/8	x 56
6060	71 1/2	x 71 1/2	32 1/16	x 67 1/2	15.03	30.85	33 15/16	x 68 3/4	33 7/8	x 68 9/16	33 7/8	x 67 3/4
6030 XOX	71 1/2	x 35 1/2	14 3/4	x 31 1/2	3.23	14.19	16 3/4	x 32 3/4	33 3/8	x 32 9/16	16 11/16	x 31 3/4
6034 XOX	71 1/2	x 39 1/2	14 3/4	x 35 1/2	3.64	15.99	16 3/4	x 36 3/4	33 3/8	x 36 9/16	16 11/16	x 35 3/4
6040 XOX	71 1/2	x 47 1/2	14 3/4	x 43 1/2	4.46	19.59	16 3/4	x 44 3/4	33 3/8	x 44 9/16	16 11/16	x 43 3/4
6050 XOX	71 1/2	x 59 3/4	14 3/4	x 55 3/4	5.71	25.10	16 3/4	x 57	33 3/8	x 56 13/16	16 11/16	x 56
6060 XOX	71 1/2	x 71 1/2	14 3/4	x 67 1/2	6.91	30.38	16 3/4	x 68 3/4	33 3/8	x 68 9/16	16 11/16	x 67 3/4
7030 XOX	83 1/2	x 35 1/2	17 3/4	x 31 1/2	3.88	16.82	19 3/4	x 32 3/4	39 3/8	x 32 9/16	19 11/16	x 31 3/4
7034 XOX	83 1/2	x 39 1/2	17 3/4	x 35 1/2	4.38	18.95	19 3/4	x 36 3/4	39 3/8	x 36 9/16	19 11/16	x 35 3/4
7040 XOX	83 1/2	x 47 1/2	17 3/4	x 43 1/2	5.36	23.22	19 3/4	x 44 3/4	39 3/8	x 44 9/16	19 11/16	x 43 3/4
7050 XOX	83 1/2	x 59 3/4	17 3/4	x 55 3/4	6.87	29.75	19 3/4	x 57	39 3/8	x 56 13/16	19 11/16	x 56
7060 XOX	83 1/2	x 71 1/2	17 3/4	x 67 1/2	8.32	36.01	19 3/4	x 68 3/4	39 3/8	x 68 9/16	19 11/16	x 67 3/4
8030 XOX	95 1/2	x 35 1/2	20 3/4	x 31 1/2	4.54	19.45	22 3/4	x 32 3/4	45 3/8	x 32 9/16	22 11/16	x 31 3/4
8034 XOX	95 1/2	x 39 1/2	20 3/4	x 35 1/2	5.12	21.92	22 3/4	x 36 3/4	45 3/8	x 36 9/16	22 11/16	x 35 3/4
8040 XOX	95 1/2	x 47 1/2	20 3/4	x 43 1/2	6.27	26.85	22 3/4	x 44 3/4	45 3/8	x 44 9/16	22 11/16	x 43 3/4
8050 XOX	95 1/2	x 59 3/4	20 3/4	x 55 3/4	8.03	34.40	22 3/4	x 57	45 3/8	x 56 13/16	22 11/16	x 56
8060 XOX	95 1/2	x 71 1/2	20 3/4	x 67 1/2	9.73	41.64	22 3/4	x 68 3/4	45 3/8	x 68 9/16	22 11/16	x 67 3/4
9030 XOX	107 1/2	x 35 1/2	23 3/4	x 31 1/2	5.20	22.08	25 3/4	x 32 3/4	51 3/8	x 32 9/16	25 11/16	x 31 3/4
9034 XOX	107 1/2	x 39 1/2	23 3/4	x 35 1/2	5.86	24.88	25 3/4	x 36 3/4	51 3/8	x 36 9/16	25 11/16	x 35 3/4
9040 XOX	107 1/2	x 47 1/2	23 3/4	x 43 1/2	7.17	30.48	25 3/4	x 44 3/4	51 3/8	x 44 9/16	25 11/16	x 43 3/4
9050 XOX	107 1/2	x 59 3/4	23 3/4	x 55 3/4	9.19	39.05	25 3/4	x 57	51 3/8	x 56 13/16	25 11/16	x 56

X = Operating Sash
O = Stationary Sash

Individual products may be subject to a variation in performance.



Some products may require special glazing options to meet certain Energy Star criteria. Contact your sales representative for more information.

Energy Star qualified products use less energy than conventional products. You save money and help save the environment. We are proud to be an Energy Star partner.



miwindows.com



QUALITY CONTROL & TESTING
AAMA CERTIFICATION PROGRAM
ACCREDITED BY: AMERICAN NATIONAL STANDARDS INSTITUTE
Validator ALI®

AAMA Certification insures labeled products comply with industry specifications related to windload, air infiltration and water resistance requirements.



NFRC rated products provide you with an industry standard energy efficiency testing and ratings comparison. Meet your demands for energy performance at a glance.