

Egress by Min Width or Min Height

Operation	Minimum Width		Minimum Height	
	Width (in)	Height (in)	Width (in)	Height (in)
Double Hung	33.5	71.5	39.25	61.5
Single Hung	31	71.5	38.5	58
2 Lite Slider	47.5	47.5	78.5	28.25
3-Lite Slider - 1/4 - 1/2 - 1/4	96.75	45.375	120	36
Casement w/Standard Hardware	31.75	46.75	42	33
Casement w/Egress Hardware	26.75	46.75	42	29.625

Standard Egress Sizes

* with Egress Hardware

** meets Egress with 1 sash removed ***with a 60 bottom sash

Nominal Size	Exact Dimensions	Casement	Single Hung	Slider	XOX	Double Hung
2440	27-1/2 x 47-1/2	X*				
2450	27-1/2 x 59-1/2	X*				
2460	27-1/2 x 71-1/2	X*				
2640	29-1/2 x 47-1/2	X*				
2650	29-1/2 x 59-1/2	X*				
2660	29-1/2 x 71-1/2	X*				
3040	35-1/2 x 47-1/2	X				
3050	35-1/2 x 59-1/2	X				
3051	35-1/2 x 60-1/2	X	X			
3056	35-1/2 x 65-1/2	X	X			X**
3060	35-1/2 x 71-1/2	X	X			X
3070	35-1/2 x 83-1/2		X***			
3080	35-1/2 x 95-1/2		X***			
3650	41-1/2 x 59-1/2		X			X**
3656	41-1/2 x 65-1/2		X			X
3660	41-1/2 x 71-1/2		X			X
4040	47-1/2 x 47-1/2			X		
4050	47-1/2 x 59-1/2		X	X		X**
4056	47-1/2 x 65-1/2		X	X		X
4060	47-1/2 x 71-1/2		X	X		X
	50.00 x 47-1/2			X		
4640	53-1/2 x 47-1/2			X		
5036	59-1/2 x 41-1/2			X		
5040	59-1/2 x 47-1/2			X		
5046	59-1/2 x 53-1/2			X		
6030	71-1/2 x 35-1/2			X		
8040	95-1/2 x 47-1/2			X	X	
8050	95-1/2 x 59-1/2			X	X	
8060	95-1/2 x 71-1/2				X	
10030	119-1/2 x 35-1/2				X	

An egress window must satisfy the following International Residential Code (IRC) criteria:

1. Minimum width opening - 20"
2. Minimum height opening - 24"
3. Minimum net clear opening, ground floor - 5.0 sq ft
4. Minimum net clear opening, all other floors - 5.7 sq ft
5. Maximum latch height above floor - 54 inches
6. Maximum sill height above floor - 44 inches

Please check and follow your local building code requirements, as they may differ.