


The 1665 awning replacement window provides superior style and handcrafted quality with features like beveled exterior edges and multipoint locking hardware. The clean, continuous lines and unique outward hinge of our awning window provide unobstructed views and allow fresh air in even on rainy days, making it the perfect addition to any home remodeling or renovation project.

PERFORMANCE FEATURES

- Warm-edge spacer system maximizes energy efficiency and improves seal performance of insulated glass units
- Welded, multi-chambered frame and sash for superior strength and energy-efficiency
- Triple weatherstripping for enhanced thermal performance
- Multi-point locking hardware creates a tighter, safer seal



Designed smarter, from the inside out

ENGINEERED TO PERFORM

- 3 1/4" frame depth
- ³/₄" dual-pane or 1 ¹/₈" triple-pane insulated glass
- 3 frame styles available
 - finless, fin, flange
- Wood extension jambs available for 4 % and 6 % wall depths

CONVENIENCE & STYLE

The 1665 features the following design details on every window:

- Beveled exterior profile
- Folding operator handle
- Easy-access screen slots

SAFETY & SECURITY FEATURES

- Multi-point locking hardware creates a tighter, safer seal
- Optional tempered glass is four times stronger than non-tempered glass and safer if broken
- Optional obscure glass allows light in while protecting privacy

MIN & MAX SIZING

WIDTH		HEIGHT		
Min	Max	Min	Max	
16"	42"	12"	42 3/4"	
16"	48"	12"	40"	
16"	60"	12"	36"	

Available in 1/8" increments. DP upgrade required for any unit greater than 84" tall

WIDTH		HEIGHT		
Min	Max	Min	Max	
16"	42"	12"	42 3/4"	
16"	48"	12"	40"	
16"	60"	12"	36"	

ENERGY-EFFICIENT GLASS PACKAGES

Our dual-pane insulated glass package options help save on heating and cooling costs while enhancing home comfort

- In cool weather, insulated glass provides outstanding thermal performance to keep interior glass surfaces closer to room temperature, eliminating cold spots near windows
- In warm weather, it helps reduce solar heat gain and minimize glare to improve interior comfort
- Able to meet **ENERGY STAR®** requirements in all four climate zones

GLAZING TYPE	U-VALUE	SHGC
Argon and Low-E glass	0.24	0.24
Argon and Low-E glass with grids	0.24	0.22
Argon and HP Low-E glass	0.24	0.18
Argon and HP Low-E glass with grids	0.24	0.16
Argon and Low-E triple-pane glass	0.18	0.21
Argon and Low-E triple-pane glass with grids	0.18	0.19
Argon and Lodz-340	0.28	0.12
Argon and $\text{Lo}\tilde{E}^3$ -340 with grids	0.28	O.11

Note: all values based on standard 3/4" dual-pane IGU unless stated otherwise









CREATE A CUSTOMIZED LOOK

GRID TYPES & SIZES

- %" flat grids-between-the-glass
- ½" flat grids-between-the-glass
- 11/16" sculptured grids-between-the-glass
- 1" simulated divided light

GRID PATTERNS







Colonia

9-Lite

Diamond

INTERIOR







Extrusion¹



Black Matte

Paint'

White Extrusion

Extrusion

Natural Laminate[‡]

Colonial

Laminate[‡]

EXTERIOR

Hillside

Laminate[‡]







White

& Extrusion

Forest Green



Paints

Bronze

Silver

Cocoa

Cream

Black Matte Paint§

- * Black interior available with black exterior only
- † Clay interior available with clay extruded exterior only. Not available with triple-pane glass
- † Woodgrain laminates available with 5/8" flat or 11/16" sculptured grids only; not available with clay extrusion
- § Exterior paint available with 11/16" sculptured grids only; not available with clay interior; silver and black not available with woodgrain interiors



OUR MISSION

Getting It Right Every Time

We build each of our products the same way we built our company: with integrity and precision. Every MI window and door is handcrafted in the United States using state-of-the-art manufacturing techniques, and is backed by vigorous in-house testing procedures. We are 100% committed to offering the styles, value, and performance you're after.

Discover everything we have to offer at miwindows.com, or by calling 1-717-365-3300.